

Document box

Fire and waterproof

DB 210L



 Please leave the drying agent
(dry pack) in the document box!

protects papers, data media
and other valuables

fire protection tested to DIN EN

suitable for DIN NA4 documents



OPERATING MANUAL



facebook.com/BASIGmbH



@basi_gmbh



www.basi.eu

General notes

Intended use

The document box keeps important documents, papers, contracts, certificates and electronic data media safe. The document box can be used privately or in the office.

Follow the instructions in this manual on how to use the document box correctly.



Warnings: No hazards are to be expected, if the device is used correctly and in accordance with the instructions. Small parts and packaging materials can be swallowed by children and lead to choking! Make sure that small parts and packaging materials do not get into the hands of children. Dispose of the packaging material immediately.

The document box is fire and water-resistant. It is tested to DIN EN 15659 Fire protection: 60 minutes fire-proof at a temperature of 843°C; it therefore protects papers, official documents and data media in the event of fire (CDs, USB sticks...). It guarantees the protection of documents and other valuables against water damage.

The manufacturer expressly reserves the right to make technical changes.

Disclaimer

The manufacturer accepts no liability for damage or injury resulting from incorrect handling.

Cleaning/maintenance

Slight soiling of the document box can be removed with a damp cloth.



Disposal

Help to protect the environment and dispose of the product and the packaging materials in accordance with the local regulations.

Scope of delivery

Check that the delivery is complete:

- 1x document box
- 1x operating manual
- 2x keys
- 1x drying agent (dry pack)

© Copyright

Reproduction or duplication
(even excerpts thereof) is forbidden
without approval of: BASI GmbH
Konstantinstraße 387
41238 Mönchengladbach, Germany

2023


This publication, including all its parts, is
protected by copyright.

Any use outside the narrow limits of
copyright law without the consent of
BASI GmbH is not allowed and is liable
to prosecution.

This applies in particular to duplications,
translations, microfilming and importing
and processing in electronic systems.

BASI GmbH, Konstantinstraße 387,
41238 Mönchengladbach, Germany

DB 210L - Volume: 9,8 litres - Weight: 11,3 kg



Always keep properly closed to protect from fire.

Always store horizontally.

Important! Preventing moisture accumulating inside:

To ensure a balanced climate and humidity, we recommend airing the document box for about 30 minutes on a regular basis and placing a dry pack inside.

The drying agent protects against moisture and odours, and prevents damage to the documents.

Exchange the drying agent at regular intervals!



Insert the key into the lock cylinder.




Turn the key halfway to the right (180 degrees clockwise).




The document box and pushbutton are now unlocked.

Operation: unlocking the document box

Note: Only turn the key, if it is completely inserted into the lock.



Press the black pushbutton.




As soon as the lock is raised upwards, pull the upper part of the lock back.




The document box is now unlocked and you can lift the lid.


Operation: open the lock



When the lid is closed, press the lock downwards.



When the lock is pressed down, push the lower side of the lock inwards.



The lock is now locked and you can insert the key.

Operation: close the lock



Insert the key into the lock cylinder when the lock is closed.



Turn the key halfway to the left (180 degrees anticlockwise).



The document box is now locked and you can remove the key.

Operation: locking the document box

Note: Only turn the key, if it is completely inserted into the lock.